

TR-350 Direct Driven Units

A cooling system designed for the transportation of fresh or frozen goods in Medium Truck (4ton truck) with container volume of 15~25m³.

- Multi-function controller with microprocessor control system
- Extra-flat evaporator with inner grooved cooper tube; micro-channel parallel flow condenser
- Safety devices: low and high refrigerant pressure protection; thermal protection

Model			TR-350
Temperature Range In Container			-30°C ~ +30°C 0°F ~ +86°F
Cooling Capacity	0°C	+32°F	3815W / 4437Kcal/h / 13020BTU
	-20°C	0°F	2260 W/ 2628Kcal/h / 7710 BTU
Compressor	Model		QP16
	Displacement		163cc/r
Condenser	Coil		Aluminum micro-channel parallel flow coils
	Fan		One Fan(DC12V/24V)
	Dimension		1010×553×230 mm
	Weight		21 kg
Evaporator	Coil		Copper Tube & Aluminum Fin
	Fan		Two Italy Spal Fans (DC12V/24V)
	Dimension		1105×649×230 mm
	Weight		17 kg
Voltage			DC12V / DC24V
Refrigerant			R404a/ 1.3kg
Defrosting			Hot gas defrosting(Auto./Manual)
Application			15~25m ³

Application

